

L Number	Hits	Search Text	DB
1	180	267/64.11-64.28.ccls. and switch	USPAT; US-PGPUB
2	129	267/64.11-64.28.ccls. and switch same valve	USPAT; US-PGPUB
3	100	267/64.11-64.28.ccls. and switch same valve	USOCR
4	576	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve	USOCR
5	353	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve	USPAT; US-PGPUB
7	36	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve ) and (267/64.11-64.28.ccls. and switch same valve)	USOCR
6	19	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve ) and (267/64.11-64.28.ccls. and switch)	USPAT; US-PGPUB
8	8944	280/5.5-6.16,124.1-124.179.ccls.	USPAT; US-PGPUB
9	4697	280/5.5-6.16,124.1-124.179.ccls.	USOCR
10	921	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle	USOCR
11	1309	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle	USPAT; US-PGPUB
12	355	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6	USPAT; US-PGPUB
13	450	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6	USOCR
14	1	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6) and rocker adj switch	USPAT; US-PGPUB
15	48	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6) and switch	USPAT; US-PGPUB
16	102	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle ) same switch	USOCR
17	334	280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )	USOCR
18	535	280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )	USPAT; US-PGPUB
19	70	( 280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )) and switch	USOCR
20	120	( 280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )) and switch	USPAT; US-PGPUB
22	60	( 280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )) and switch same (manual or manually or driver or operator)	USPAT; US-PGPUB
21	30	( 280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )) and switch same (manual or manually or driver or operator)	USOCR
23	554	switch same (manual or manually or driver or operator) same ride same firm\$5	USOCR
24	30	switch same (manual or manually or driver or operator) same ride same firm\$5	USPAT; US-PGPUB

25	0	(switch same (manual or manually or driver or operator) same ride same firm\$5) and 267/64.11-64.28.ccls.	USOCR
26	0	(switch same (manual or manually or driver or operator) same ride same firm\$5) and 280/5.5-6.16,124.1-124.179.ccls.	USOCR
27	13521	switch same (manual or manually or driver or operator) same (air or pneumatic)	USPAT; US-PGPUB
28	2407	switch same (manual or manually or driver or operator) same (air or pneumatic) same (bladder or spring or bag or bellows!)	USPAT; US-PGPUB
29	67	switch same (manual or manually or driver or operator) same (air or pneumatic) same (bladder or spring or bag or bellows!) same axle	USPAT; US-PGPUB
30	2	5449194.URPN.	USPAT
31	112335	(280/\$.ccls. or 267/\$.ccls.)	USPAT; US-PGPUB
32	164	((280/\$.ccls. or 267/\$.ccls.) ) and axle same (valve or actuator) same (lever or link) same pivot\$4	USPAT; US-PGPUB
33	35	((280/\$.ccls. or 267/\$.ccls.) ) and axle same (valve or actuator) same (lever or link) same pivot\$4 and control same switch	USPAT; US-PGPUB
34	17	((280/\$.ccls. or 267/\$.ccls.) ) and axle same (valve or actuator) same (lever or link) same pivot\$4 and control same switch same (manual\$4 or driver)	USPAT; US-PGPUB
35	59	(280/\$.ccls. or 267/\$.ccls.) and axle same (valve or actuator) same (lever or link) same pivot\$4 and control same switch same (manual\$4 or driver)	USOCR
38	318	(267/64.28).CCLS.	USPAT; US-PGPUB
39	36	267/64.28.ccls. and switch	USPAT; US-PGPUB
40	10	267/64.28.ccls. and switch	USOCR
41	5	267/64.28.ccls. and switch same axle	USOCR
42	5	267/64.28.ccls. and switch same axle	USPAT; US-PGPUB
43	2	267/64.11-64.28.ccls. and switch same (manual or manually) same (driver or operator or user) same vehicle same axle	USPAT; US-PGPUB
44	29471	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard)	USOCR
45	34962	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard)	USOCR
46	44	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and 267/\$.ccls.	USOCR
47	1	3120962.URPN.	USPAT
49	30	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve )	USPAT; US-PGPUB
48	120	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and 280/5.5-6.16,124.1-124.179.ccls.	USPAT; US-PGPUB
50	12	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and (267/64.11-64.28.ccls. and switch same valve)	USOCR
51	11	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve )	USOCR

52	8	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6)	USOCR
53	21	(( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and (267/64.11-64.28.ccls. and switch same valve)) (( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve )) (( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6))	USOCR
54	21	(( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and (267/64.11-64.28.ccls. and switch same valve)) or (( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve )) or (( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6))	USOCR
58	1	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same firm same soft same medium	USPAT; US-PGPUB
57	10	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same hard same soft same medium	USPAT; US-PGPUB
60	2	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same firm same soft same medium	USOCR
59	3	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same hard same soft same medium	USOCR
61	0	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same stiffness same (air or pneumatic) adj (bag or spring or bellows!)	USPAT; US-PGPUB
62	90	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same (air or pneumatic) adj (bag or spring or bellows!)	USPAT; US-PGPUB
63	67	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same (air or pneumatic) adj (bag or spring or bellows!)	USOCR
64	24	movable near3 valve same (rail or track) same (motor or electromotor)	USPAT; US-PGPUB
65	3	valve same (rail or track) same (motor or electromotor) same axle same (air or pneumatic) near3 (bellows! or spring or bag)	USPAT; US-PGPUB

66	57	valve same (motor or electromotor or linear) same axle same (air or pneumatic) near3 (bellows! or spring or bag)	USPAT; US-PGPUB	
67	1	valve same (motor or electromotor or linear) same axle same (air or pneumatic) near3 (bellows! or spring or bag) same switch same (remote or remotely or driver or operator)	USPAT; US-PGPUB	
68	2	valve same (motor or electromotor or linear) same axle same (air or pneumatic) near3 (bellows! or spring or bag) same switch same (remote or manual or manually or remotely or driver or operator)	USPAT; US-PGPUB	
-	1	"20030038443"	USPAT; US-PGPUB	
-	70	280/711.iior.	USPAT; US-PGPUB	
-	181	280/711.icls.	USPAT; US-PGPUB	
-	111	280/711.ixr.	USPAT; US-PGPUB	
-	111	280/711.cixr.	USPAT; US-PGPUB	
-	70	280/711.cior.	USPAT; US-PGPUB	
-	181	280/711.iior. 280/711.icls. 280/711.ixr.	USPAT; US-PGPUB	
-	200	280/711.cixr. 280/711.cior.	USPAT; US-PGPUB	
-	576	267/256.ccls.	USPAT; US-PGPUB	
-	29	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve	USOCR	
-	599	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) same manual same (control or switch)	USOCR	
-	91	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve	USPAT; US-PGPUB; EPO; JPO; DERWENT	
-	64	switch same soft same hard same medium	USPAT; US-PGPUB; EPO; JPO; DERWENT	
-	1	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and manual same (control or switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT	
-	426	1993-258504.NRAN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	
-	5	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and (280/\$.ccls. or 267/\$.ccls.)	USOCR	2
-	0	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and (280/\$.ccls. or 267/\$.ccls.) and control adj panel	USOCR	2
-	73	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and (280/\$.ccls. or 267/\$.ccls.) and control same switch	USOCR	2
-	28	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and (280/\$.ccls. or 267/\$.ccls.) and control same switch same (driver or operator)	USOCR	2

-	15	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and (280/\$.ccls. or 267/\$.ccls.)) and control same switch same manual\$4	USOCR
-	0	3079170.pn. and control same switch same manual\$4	USOCR
-	0	3079170.pn. and switch same manual\$4	USOCR
-	1	3079170.pn. and switch	USOCR
-	151	280/124.102.ccls.	USPAT; US-PGPUB
-	76	280/124.102.ccls.	USOCR
-	11	280/124.102.ccls. and switch	USOCR
-	22	280/124.102.ccls. and switch	USPAT; US-PGPUB
-	26	280/6.153.ccls. and switch	USPAT; US-PGPUB
-	6	280/6.153.ccls. and switch	USOCR
-	62	280/5.519.ccls. and switch	USPAT; US-PGPUB
-	0	280/5.519.ccls. and switch	USOCR
-	921	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle	USOCR
-	1309	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle	USPAT; US-PGPUB
-	222	(air or pneumatic) and 280/124.157,124.16.ccls.	USPAT; US-PGPUB
-	11	(air or pneumatic) and switch same manual\$4 and 280/124.157,124.16.ccls.	USPAT; US-PGPUB
-	7	(air or pneumatic) and switch same manual\$4 and 280/124.157,124.16.ccls.	USOCR
-	8	267/256.ccls. and switch	USOCR
-	3	267/256.ccls. and switch	USPAT; US-PGPUB
-	8936	linear adj motor	USPAT; US-PGPUB
-	0	linear adj motor and 188/299.1.ccls.	USPAT; US-PGPUB
-	0	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve and 188/299.1.ccls.	USOCR
-	19	motor and 188/299.1.ccls.	USPAT; US-PGPUB
-	124	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch same (electromotor or electrical or electric)	USPAT; US-PGPUB
-	101	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch same (electromotor or electrical or electric)	USOCR
-	1	2934353.URPN.	USPAT
-	120	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch and 280/5.5-6.16,124.1-124.179.ccls.	USPAT; US-PGPUB
-	70	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch and 280/5.5-6.16,124.1-124.179.ccls.	USOCR
-	70	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch and 280/5.5-6.16,124.1-124.179.ccls.)	USOCR
-	120	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch and 280/5.5-6.16,124.1-124.179.ccls.)	USPAT; US-PGPUB